



CALIFORNIA ENVIRONMENTAL PROTECTION AGENCY



1001 I STREET, SACRAMENTO, CALIFORNIA 95814 • P.O. BOX 2815, SACRAMENTO, CALIFORNIA 95812-2815
(916) 323-2514 • (916) 324-0908 FAX • WWW.CALEPA.CA.GOV

LINDA S. ADAMS
SECRETARY FOR
ENVIRONMENTAL PROTECTION

ARNOLD SCHWARZENEGGER
GOVERNOR

Certified Mail: 7003 1680 0000 6167 5486

July 8, 2008

Ms. Danielle Stefani
Hazardous Materials Coordinator
Livermore – Pleasanton Fire Department
3560 Nevada Street
Pleasanton, California 94566

Dear Ms. Stefani:

The California Environmental Protection Agency (Cal/EPA) and the Department of Toxic Substances Control conducted a program evaluation of the Livermore – Pleasanton Fire Department Certified Unified Program Agency (CUPA) on November 7 and 8, 2007. An evaluation report was provided to your office which included identified deficiencies, preliminary corrective actions and timeframes for correction.

Cal/EPA requests that the CUPA's follow-up on deficiencies identified in the evaluation by submitting deficiency progress reports every 90 days that depict the progress being made towards correcting the identified deficiencies. A deficiency progress report was due on June 5, 2008. On May 14, 2008, Cal/EPA reminded you that a deficiency progress report was due on June 5, 2008. On June 12, 2008, you informed me that the report would be submitted by June 20, 2008. Cal/EPA has not received the deficiency progress report.

The Livermore – Pleasanton Fire Department CUPA is requested to respond to our letter and submit the deficiency progress report to Cal/EPA by August 7, 2008. If you have any questions or concerns, please feel free to contact me at (916) 323-2204, or email at jjaschke@calepa.ca.gov. I look forward to receiving the deficiency progress report.

Sincerely,

[Original signed by JoAnn Jaschke]

JoAnn Jaschke
Evaluation Team Leader
California Environmental Protection Agency - Unified Program Section